1993 ANNUAL INDEXES

Textile Reseach Journal

Volume 63

AUTHOR AND TITLE INDEX, pp. 777–782

MONTH	PAGES
January	1–60
February	61–122
March	123–184
April	185–246
May	247–308
June	309–370

SUBJECT INDEX, pp. 783–790

MONTH	PAGES
July	371–432
August	433–494
September	495–556
October	557–618
November	619–696
December	697–790

AUTHOR AND TITLE INDEX

Acar, M. Fiber Alignment and Straightening in Opening for Open-End Spinning (*Ülkü, King, Özipek*) 309

Adachi, Rumiko Catalytic Activity of the Cu(II)-Wool Complex on the Oxidation of Ascorbic Acid (*Fukatsu, Kimura*) .. 239

Alger, K. W. Effect of Preswelling Treatments on the Properties of Cotton Fibers Crosslinked with 1,2,3,4 Butanetetracarboxylic Acid (*Zeronian, Buschle-Diller, Fisher, Holmes, Slaven, Bertoniere*) 488

Amundson, Richard A Photometric Method for Evaluating Carpet Wear (*Lamb, Miller*) 731

Anandjiwala, Rajesh D. Tensile Fatigue Behavior of Staple Yarns (*Goswami*) 392

Araki, Hiroshi Correcting Fabric Dyeing Rates by Evaluating Contact Points of Yarns (*Sasaki, Yanai*) 614

Effect of Yarn Density on Diffusion of *p*-Aminoazobenzene in Multiple Layers of Nylon Fabric (*Sasaki*) 296

Backer, Stanley Mechanical Properties of Fabric Woven from Yarns Produced by Different Spinning Technologies: Yarn Failure in Woven Fabric (*Seo, Realff, Pan, Boyce, Schwartz*) 123

Barella, A. Comments on "Lint Cleaning Effect on Seed-Coat Fragment Size Distribution in Cotton" 120

Comments on "Yarn Hairiness and the Process of Winding" 431

Basak, R. K. Thermal Properties of Jute Constituents and Flame Retardant Jute Fabrics (*Saha, Sarkar, Saha, Das, Mukherjee*) 658

Basu, A. Effect of Jet Design on the Properties of Air-Jet Spun Yarns (*Oxenham*) 674

Bauers, Maureen Separating and Identifying the Active Ingredient of a Stain Resist Compound (*Keown, Malone*) 540

Berkstresser, Gordon A. Using Neural Networks to Predict Dye Concentrations in Multiple-Dye Mixtures (*Jasper, Kovacs*) 545

Bertoniere, N. R. Effect of Preswelling Treatments on the Properties of Cotton Fibers Crosslinked with 1,2,3,4 Butanetetracarboxylic Acid (*Zeronian, Buschle-Diller, Fisher, Alger, Holmes, Slaven*) 488

Bhattacharyya, P. K. Splicing of Jute Yarn by the Wrapping Method (*Neogi*) 351

Bogoeva-Gaceva, G. Photo-Induced Acrylamide Graft Polymerization onto Polyamide-6 (*Pimonenko, Petrov*) 51

Boyce, Mary Mechanical Properties of Fabric Woven from Yarns Produced by Different Spinning Technologies: Yarn Failure in Woven Fabric (*Seo, Realff, Pan, Schwartz, Backer*) ... 123

Boylston, Eileen K. Applying Microscopy to the Development of a Reference Method for Cotton Fiber Maturity (*Thibodeaux, Evans*) 80

Bragg, Charles K. A Rapid, Direct Measurement of Short Fiber Content (*Shofner*) 171

Broadbent, Arthur D. Numerical Control of a Continuous Infrared Dryer (*Forget, Thérien*) 404

Broughton, Roy M. A New Approach for Evaluating the Frictional Behavior of Cotton Fibers Part I: Fundamental Aspects and Measuring Techniques (*El Mogahzy*) 465

Buschle-Diller, G. Effect of Preswelling Treatments on the Properties of Cotton Fibers Crosslinked with 1,2,3,4 Butanetetracarboxylic Acid (*Zeronian, Fisher, Alger, Holmes, Slaven, Bertoniere*) 488

Cai, Zhijie Influence of Machine Variables on Two-Strand Yarn Spinning Geometry (*Miao, Zhang*) 116

Call, Xavier Milián Determining and Characterizing Ethylene Oxide Nonylphenol Condensates by Infrared Spectrometry (*Raurich*) 319

Cano-Suárez, A. Effect of Ethyl Xanthogenate on Sorption of an Acid Dye on Polyester Fibers Part I: Electrokinetic Properties (*Espinosa-Jiménez*) 379

Part II: Kinetics and Thermodynamics (*Espinosa-Jiménez*) 667

Carr, Wallace W. Radio Frequency Drying of Latex Adhesive on Carpet 686

Cates, D. M. Solvent Texturing of Polyester Yarn Part I: Sequential Texturing (*Hashemi-Pour, Lee, Tucker*) 103

Chakrabarti, S. K. Enhanced Bleaching and Softening of Jute Pretreated with Polysaccharide Degrading Enzymes (*Kundu, Ghosh*) 451

Chen, Cheng-Chi Crosslinking of Cotton Fabrics Premercerized with Different Alkalis Part I: Kinetics of the Crosslinking Reaction (*Sheen, Li, Wu*) 357

Part II: Dyeing Kinetics of Direct Dye on Treated Fabrics from a Finite Bath (*Chen, Liaw, Lan*) 535

Part III: Crosslinking and Physical Properties of DMDHEU-Treated Fabrics (*Jang, Sheu, Sheu*) 679

Chen, Renzhe Yarn Twisting Dynamics (*Miao*) 150
Chen, Wen-Yeong Crosslinking of Cotton Fabrics Premercerized with Different Alkalis Part II: Dyeing Kinetics of Direct Dye on Treated Fabrics from a Finite Bath (*Liaw, Lan, Chen*) 535
Choi, H. *In-situ* Copolymerization and Crosslinking of Cotton Fibers for Improved Performance (*Yeh*) 302
Choi, Hyung-Min Cotton Nonwovens as Oil Spill Cleanup Sorbents (*Kwon, Moreau*) 211
Nonphosphorus Catalysts for Formaldehyde-Free DP Finishing of Cotton with 1,2,3,4-Butanetetracarboxylic Acid Part I: Aromatic N-Heterocyclic Compounds (*Welch, Morris*) .. 650
Coderch, L. Role of Treatment Medium in Degradative Wool Shrinkproofing Processes (*Soriano*) 369
Collier, B. J. Fumaric Acid as an Adhesion Promoter in Rayon/Nylon Composite Fibers (*Tao, Collier, Negulescu*) 162
Collier, J. R. Fumaric Acid as an Adhesion Promoter in Rayon/Nylon Composite Fibers (*Tao, Collier, Negulescu*) 162
Cookson, P. G. Hysteresis Effects Associated with the Adsorption and Desorption of Water by Woven Wool Fabrics (*Slota*) 495
Cornell, Hugh J. A Model for the Surface of Keratin Fibers (*Negri, Rivett*) 109
Crews, Patricia Cox Influence of Shade Depth on the Effectiveness of Selected Ultraviolet Absorbers in Reducing Fading (*Rich*) 231

Das, N. N. Thermal Properties of Jute Constituents and Flame Retardant Jute Fabrics (*Basak, Saha, Sarkar, Saha, Mukherjee*) 658
Das, U. K. Influence of Wrapper Moisture Content on Wool Fabric Mechanical Properties After Pressure Decatizing 59
Day, A. Thermal Analysis of Chemically Treated Jute Fibers (*Pandey, Mathew*) 143
de Jong, H. G. Yarn-to-Yarn Friction in Relation to Some Properties of Fiber Materials 14
de la Maza, A. Lipid Bilayers Including Cholesterol as Vehicles for Acid Dyes in Wool Dyeing (*Parra, Manich*) 643
Unilamellar Lipid Bilayers Including Cholesterol in Wool Chlorination: Stability of Chlorine Liposomes and Application on Wool (*Parra*) 44
Denes, Ferencz Surface Modification of Polypropylene Fabrics by Acrylonitrile Cold Plasma (*Sarmadi, Ying*) 697
Denning, R. J. Surface Analysis of Wool by X-Ray Photoelectron Spectroscopy and Static Secondary Ion Mass Spectrometry (*Ward, Willis, George, Guise, Evans, Short*) 362
Domelsmith, Linda N. Endotoxin Reduction in Cotton Fibers: Effect of Flash Heating on Endotoxin Content, Fiber Physical Properties, and Processability (*Rousselle*) 595
Douthwaite, F. J. Reaction of Cystine Residues in Wool with Peroxy Compounds (*Lewis, Schumacher-Hamedat*) 177
Dréan, Jean-Yves F. Mechanical Characterization and Behavior in Spinning Processing of Milkweed Fibers (*Patry, Lombard, Weltrowski*) 443
Duckett, K. E. Cotton Fiber Fineness Distributions and Their Effects on the Tenacities of Randomly Sampled HVI Tapered Beards: Linear Density Effects (*Zhou, Krowicki, Sasser*) 737
Duobinis, N. Structure and Properties of Aromatic Polyamide and Polyimide Fibers Commercially Available in the Former USSR 99

El Mogahzy, Yehia E. A New Approach for Evaluating the Frictional Behavior of Cotton Fibers Part I: Fundamental Aspects and Measuring Techniques (*Broughton*) 465
Friction in Fibrous Materials Part II: Experimental Study of the Effects of Structural and Morphological Factors (*Gupta*) 219
El-Shiekh, Aly Mechanics of Woven Fabrics Part III: Critical Review of Weavability Limit Studies (*Seyam*) 371
Espinosa-Jiménez, M. Effect of Ethyl Xanthogenate on Sorption of an Acid Dye on Polyester Fibers Part I: Electrokinetic Properties (*Cano-Suárez*) 379
Part II: Kinetics and Thermodynamics (*Cano-Suárez*) 667
Evans, D. J. Surface Analysis of Wool by X-Ray Photoelectron Spectroscopy and Static Secondary Ion Mass Spectrometry (*Ward, Willis, George, Guise, Denning, Short*) 362
Evans, Janice P. Applying Microscopy to the Development of a Reference Method for Cotton Fiber Maturity (*Boylston, Thibodeaux*) 80
Exbrayat, P. E. Real-Time Fault Detection on Textiles Using Optoelectronic Processing (*Ribolzi, Mercklé, Gresser*) 61

Fisher, L. D. Effect of Preswelling Treatments on the Properties of Cotton Fibers Crosslinked with 1,2,3,4 Butanetetracarboxylic Acid (*Zeronian, Buschle-Diller, Alger, Holmes, Slaven, Bertoniere*) 488
Foreman, D. W. X-Ray Diffractometric Measurement of Microcrystallite Size, Unit Cell Dimensions, and Crystallinity: Application to Cellulosic Marine Textiles (*Jakes*) 455
Forget, Christine Numerical Control of a Continuous Infrared Dryer (*Broadbent, Thérien*) 404
Francis, Nicholas D. Experimental and Numerical Analysis of the Drying Characteristics of Modular Carpet Tiles (*Wepfer*) 1
Frydrych, I. Comparative Analysis of Frictional Resistance of Wool Yarns (*Żurek*) 322
Fukatsu, Kazuhiko Catalytic Activity of the Cu(II)-Wool Complex on the Oxidation of Ascorbic Acid (*Adachi, Kimura*) ... 239
Dyeing Behavior of Cu(II)-Wool Complex Fibers Pretreated with Hydrogen Peroxide 744
Formation of Hydroxyl Radicals from Reaction of Cu(II)/Wool Keratin Complex with Hydrogen Peroxide (*Takahata*) 289
Fukuda, Mitsuhiro Moisture Sorption Mechanism of Aromatic Polyamide Fibers: Diffusion of Moisture in Poly(*p*-phenylene Terephthalamide) Fibers (*Kawai*) 185
Fukuhara, Mototada Innovation in Polyester Fibers: From Silk-Like to New Polyester 387

Gandhi, R. S. Draw Texturing of Cationic Dyeable Polyester Yarn (*Pal, Kothari*) 71
George, G. A. Surface Analysis of Wool by X-Ray Photoelectron Spectroscopy and Static Secondary Ion Mass Spectrometry (*Ward, Willis, Guise, Denning, Evans, Short*) 362
Ghosh, B. S. Enhanced Bleaching and Softening of Jute Pretreated with Polysaccharide Degrading Enzymes (*Kundu, Chakrabarti*) 451
Gibson, P. W. Factors Influencing Steady-State Heat and Water Vapor Transfer Measurements for Clothing Materials ... 749
Goswami, Bhuvenesh C. Tensile Fatigue Behavior of Staple Yarns (*Anandjiwala*) 392
Gresser, J. Real-Time Fault Detection on Textiles Using Optoelectronic Processing (*Ribolzi, Mercklé, Exbrayat*) 61
Grover, G. Dynamic Mechanical Properties of Carpet Yarns and Carpet Performance (*Zhu, Twilley*) 257
Guise, G. B. Surface Analysis of Wool by X-Ray Photoelectron Spectroscopy and Static Secondary Ion Mass Spectrometry (*Ward, Willis, George, Denning, Evans, Short*) 362
Gupta, Bhupender S. Friction in Fibrous Materials Part II: Experimental Study of the Effects of Structural and Morphological Factors (*El Mogahzy*) 219

Hashemi-Pour, M. Solvent Texturing of Polyester Yarn Part I: Sequential Texturing (*Lee, Tucker, Cates*) 103
Part II: Continuous Texturing (*Tucker*) 770
Hebert, Jacques J. Seed Coat Fragments in Cotton Yarns (*Thibodeaux*) 626
Strength of the Primary Wall of Cotton Fibers 695
Heisey, C. L. Surface and Adhesion Properties of Polypyrrole-Coated Textiles (*Wightman, Pittman, Kuhn*) 247
Holmes, S. A. Effect of Preswelling Treatments on the Properties of Cotton Fibers Crosslinked with 1,2,3,4 Butanetetracarboxylic Acid (*Zeronian, Buschle-Diller, Fisher, Alger, Slaven, Bertoniere*) 488
Huson, M. G. Cohesive Setting of Wool in Air: Effect of Mechanical De-ageing 204

Inagaki, Hideo Surface Characteristics of Wool and Poly(ethylene Terephthalate) Fabrics and Film Treated with Low-Temperature Plasma Under Atmospheric Pressure (*Wakida, Tokino, Niu, Kawamura, Sato, Lee, Uchiyama*) 433
Ito, Hiraku Water Transport Along Textile Fibers as Measured by an Electrical Capacitance Technique (*Muraoka*) 414

Jakes, K. A. X-Ray Diffractometric Measurement of Microcrystallite Size, Unit Cell Dimensions, and Crystallinity: Application to Cellulosic Marine Textiles (*Foreman*) 455
Jang, K. O. Effects of Silicone Softeners and Silane Coupling Agents on the Performance Properties of Cotton Fabrics (*Yeh*) .. 557
Jang, Tyng-Ruey Crosslinking of Cotton Fabrics Premercerized with Different Alkalis Part III: Crosslinking and Physical Properties of DMDHEU-Treated Fabrics (*Sheu, Sheu, Chen*) 679
Jasper, Warren J. Using Neural Networks to Predict Dye Concentrations in Multiple-Dye Mixtures (*Kovacs, Berkstresser*) 545
Jocić, Dragan Influence of a Chlorination Treatment on Wool Dyeing (*Jovančić, Trajković, Seleš*) 619
Jovančić, Petar Influence of a Chlorination Treatment on Wool Dyeing (*Jocić, Trajković, Seleš*) 619

Kabeya, H. Influence of Surface Roughness of Woven Geotextiles on Interfacial Frictional Behavior—Evaluation Through Model Experiments (*Karmokar, Kamata, Tsunoda*) 604
Kamata, Y. Influence of Surface Roughness of Woven Geotextiles on Interfacial Frictional Behavior—Evaluation Through Model Experiments (*Kabeya, Karmokar, Tsunoda*) 604
Kamath, Y. K. Microfluorometric Studies of the Distribution of Finishes on Fibers and Yarns (*Ruetsch, Weigmann*) 19
Kaneko, Masami Dyeing Properties of Wool Treated with Low-Temperature Plasma Under Atmospheric Pressure (*Wakida, Tokino, Niu, Lee, Uchiyama*) 438
Karmokar, A. K. Influence of Surface Roughness of Woven Geotextiles on Interfacial Frictional Behavior—Evaluation Through Model Experiments (*Kabeya, Kamata, Tsunoda*) 604
Kawai, Hiromichi Moisture Sorption Mechanism of Aromatic Polyamide Fibers: Diffusion of Moisture in Poly(*p*-phenylene Terephthalamide) Fibers (*Fukuda*) 185
Kawamura, Haruo Surface Characteristics of Wool and Poly(ethylene Terephthalate) Fabrics and Film Treated with Low-Temperature Plasma Under Atmospheric Pressure (*Wakida, Tokino, Niu, Sato, Lee, Uchiyama, Inagaki*) .. 433
Keown, Robert W. Separating and Identifying the Active Ingredient of a Stain Resist Compound (*Bauers, Malone*) 540
Kimmel, L. B. A Unique Polyester Staple-Core/Cotton-Wrap Yarn Made on a Tandem Spinning System (*Sawhney, Ruppenicker, Thibodeaux*) 764
Kimura, Yumi Catalytic Activity of the Cu(II)-Wool Complex on the Oxidation of Ascorbic Acid (*Fukatsu, Adachi*) 239
King, T. G. Fiber Alignment and Straightening in Opening for Open-End Spinning (*Ülkü, Acar, Özipek*) 309
Knittel, Dierk Dyeing of Textiles in Supercritical Carbon Dioxide (*Saus, Schollmeyer*) 135
Kobsa, H. Using Optical Ray Tracing to Explain the Reduced Dye Yield of Microdenier Yarns (*Rubin, Shearer, Schulz*) 475
Kokot, S. A Morphological Study of Cotton Fabric Damage by Electro-Generated Oxygen (*Marahusin, Schweinsberg*) .. 313
Sites for Cu(II) Stabilization in Wool Keratin 159
Kothari, V. K. Draw Texturing of Cationic Dyeable Polyester Yarn (*Pal, Gandhi*) 71
Neps in Air-Jet Textured Yarns (*Sengupta, Sensarma*) 637
Kovacs, Eva T. Using Neural Networks to Predict Dye Concentrations in Multiple-Dye Mixtures (*Jasper, Berkstresser*) 545
Krowicki, R. S. Cotton Fiber Fineness Distributions and Their Effects on the Tenacities of Randomly Sampled HVI Tapered Beards: Linear Density Effects (*Duckett, Zhou, Sasser*) 737
Kuhn, H. H. Surface and Adhesion Properties of Polypyrrole-Coated Textiles (*Heisey, Wightman, Pittman*) 247
Kundu, A. B. Enhanced Bleaching and Softening of Jute Pretreated with Polysaccharide Degrading Enzymes (*Ghosh, Chakrabarti*) 451
Kwon, Hyo-Jung Cotton Nonwovens as Oil Spill Cleanup Sorbents (*Choi, Moreau*) 211

Ladisch, Christine M. Hydrophobic Interaction and Its Effect on Cationic Dyeing of Acrylic Fabric (*Yang*) 283
Lamb, George E. R. A Photometric Method for Evaluating Carpet Wear (*Amundson, Miller*) 731
Lan, Gwo-Wei Crosslinking of Cotton Fabrics Premercerized with Different Alkalis Part II: Dyeing Kinetics of Direct Dye on Treated Fabrics from a Finite Bath (*Chen, Liaw, Chen*) 535
Le, Cuong V. An Examination of the Structural Parameters of Kevlar Fibers Using Adsorption Isotherm Equations (*Ly*) 57
Heat and Mass Transfer During Steam Pressing of Wool Fabrics (*Ly, Postle*) 88
Lee, H. S. Solvent Texturing of Polyester Yarn Part I: Sequential Texturing (*Hashemi-Pour, Tucker, Cates*) 103
Lee, Muncheul Dyeing Properties of Wool Treated with Low-Temperature Plasma Under Atmospheric Pressure (*Wakida, Tokino, Niu, Uchiyama, Kaneko*) 438
Surface Characteristics of Wool and Poly(ethylene Terephthalate) Fabrics and Film Treated with Low-Temperature Plasma Under Atmospheric Pressure (*Wakida, Tokino, Niu, Kawamura, Sato, Uchiyama, Inagaki*) 433
Lewis, D. M. Reaction of Cystine Residues in Wool with Peroxy Compounds (*Douthwaite, Schumacher-Hamedat*) 177
Li, Shyh-Min Crosslinking of Cotton Fabrics Premercerized with Different Alkalis Part I: Kinetics of the Crosslinking Reaction (*Sheen, Wu, Chen*) 357
Liaw, Ming-Yih Crosslinking of Cotton Fabrics Premercerized with Different Alkalis Part II: Dyeing Kinetics of Direct Dye on Treated Fabrics from a Finite Bath (*Chen, Lan, Chen*) 535
Lombard, Gérard F. Mechanical Characterization and Behavior in Spinning Processing of Milkweed Fibers (*Dréan, Patry, Weltrowski*) 443
Ly, Nhan G. An Examination of the Structural Parameters of Kevlar Fibers Using Adsorption Isotherm Equations (*Le*) 57
Heat and Mass Transfer During Steam Pressing of Wool Fabrics (*Le, Postle*) 88

Malone, C. Paul Separating and Identifying the Active Ingredient of a Stain Resist Compound (*Bauers, Keown*) 540
Mangialardi, G. J., Jr. Reply to "Comments on 'Lint Cleaning Effect on Seed-Coat Fragment Size Distribution in Cotton' " 121
Manich, A. Lipid Bilayers Including Cholesterol as Vehicles for Acid Dyes in Wool Dyeing (*de la Maza, Parra*) 643
Marahusin, L. A Morphological Study of Cotton Fabric Damage by Electro-Generated Oxygen (*Kokot, Schweinsberg*) 313
Mathew, M. D. Thermal Analysis of Chemically Treated Jute Fibers (*Pandey, Day*) 143
Mercklé, J. Real-Time Fault Detection on Textiles Using Optoelectronic Processing (*Ribolzi, Gresser, Exbrayat*) 61
Miao, Menghe Influence of Machine Variables on Two-Strand Yarn Spinning Geometry (*Cai, Zhang*) 116
Yarn Twisting Dynamics (*Chen*) 150
Miller, Bernard A Photometric Method for Evaluating Carpet Wear (*Lamb, Amundson*) 731
Montalvo, Joseph G. A Critical Evaluation of the Relationships Between Arealometer Instrument Values and Cotton Fiber Perimeter Part I: Fundamentals and Computer Simulation (*Vinyard*) 267
Moreau, Jerry P. Cotton Nonwovens as Oil Spill Cleanup Sorbents (*Choi, Kwon*) 211
Morris, Nancy Nonphosphorus Catalysts for Formaldehyde-Free DP Finishing of Cotton with 1,2,3,4-Butanetetracarboxylic Acid Part I: Aromatic N-Heterocyclic Compounds (*Choi, Welch*) 650
Mukherjee, A. K. Thermal Properties of Jute Constituents and Flame Retardant Jute Fabrics (*Basak, Saha, Sarkar, Saha, Das*) 658
Muraoka, Yoichiro Water Transport Along Textile Fibers as Measured by an Electrical Capacitance Technique (*Ito*) 414

Negri, Andrew P. A Model for the Surface of Keratin Fibers (*Cornell, Rivett*) 109
Negulescu, I. I. Fumaric Acid as an Adhesion Promoter in Rayon/Nylon Composite Fibers (*Tao, Collier, Collier*) 162
Neogi, S. K. Splicing of Jute Yarn by the Wrapping Method (*Bhattacharyya*) 351
Niu, Shouhua Dyeing Properties of Wool Treated with Low-Temperature Plasma Under Atmospheric Pressure (*Wakida, Tokino, Lee, Uchiyama, Kaneko*) 438
Effect of Heat-Setting Temperature on Alkali Hydrolysis of Poly(ethylene Terephthalate) Fibers (*Wakida*) 346
Surface Characteristics of Wool and Poly(ethylene Terephthalate) Fabrics and Film Treated with Low-Temperature Plasma Under Atmospheric Pressure (*Wakida, Tokino, Kawamura, Sato, Lee, Uchiyama, Inagaki*) 433

Oxenham, W. Effect of Jet Design on the Properties of Air-Jet Spun Yarns (*Basu*) 674
Özipek, B. Fiber Alignment and Straightening in Opening for Open-End Spinning (*Ülkü, Acar, King*) 309

Pal, S. K. Draw Texturing of Cationic Dyeable Polyester Yarn (*Gandhi, Kothari*) 71
Pan, Ning A Modified Analysis of the Microstructural Characteristics of General Fiber Assemblies 336
An Alternative Approach to the Objective Measurement of Fabrics (*Zeronian, Ryu*) 33
Author's Corrections 370
Behavior of Yarn Pullout from Woven Fabrics: Theoretical and Experimental (*Yoon*) 629
Development of a Constitutive Theory for Short Fiber Yarns Part II: Mechanics of Staple Yarn With Slippage Effect .. 504
Part III: Effects of Fiber Orientation and Bending Deformation 565
Mechanical Properties of Fabric Woven from Yarns Produced by Different Spinning Technologies: Yarn Failure in Woven Fabric (*Seo, Realff, Boyce, Schwartz, Backer*) 123
Pandey, S. N. Thermal Analysis of Chemically Treated Jute Fibers (*Day, Mathew*) 143
Parra, J. L. Lipid Bilayers Including Cholesterol as Vehicles for Acid Dyes in Wool Dyeing (*de la Maza, Manich*) 643
Unilamellar Lipid Bilayers Including Cholesterol in Wool Chlorination: Stability of Chlorine Liposomes and Application on Wool (*de la Maza*) 44
Patry, Jacinthe J. Mechanical Characterization and Behavior in Spinning Processing of Milkweed Fibers (*Dréan, Lombard, Weltrowski*) 443
Petrov, G. Photo-Induced Acrylamide Graft Polymerization onto Polyamide-6 (*Bogoeva-Gaceva, Pimonenko*) 51
Peykamian, S. Reply to "Comments on 'Yarn Hairiness and the Process of Winding' " (*Rust*) 431
Pimonenko, N. Yu. Photo-Induced Acrylamide Graft Polymerization onto Polyamide-6 (*Bogoeva-Gaceva, Petrov*) 51
Pittman, E. H. Surface and Adhesion Properties of Polypyrrole-Coated Textiles (*Heisey, Wightman, Kuhn*) 247
Postle, R. Heat and Mass Transfer During Steam Pressing of Wool Fabrics (*Le, Ly*) 88
Pourdeyhimi, B. Evaluating Carpet Appearance Loss: Surface Intensity and Roughness (*Sobus, Xu*) 523
Fiber Cross-Sectional Shape Analysis Using Image Processing Techniques (*Xu, Sobus*) 717
Pynckels, F. Assessment of Set Marks by Means of Neural Nets (*Vangheluwe, Sette*) 244

Radhakrishnaiah, P. Handle and Comfort Properties of Woven Fabrics Made from Random Blend and Cotton-Covered Cotton/Polyester Yarns (*Tejatanalert, Sawhney*) 573
Raurich, Josep Garcia Determining and Characterizing Ethylene Oxide Nonylphenol Condensates by Infrared Spectrometry (*Call*) 319
Realff, Mary Lynn Mechanical Properties of Fabric Woven from Yarns Produced by Different Spinning Technologies: Yarn Failure in Woven Fabric (*Seo, Pan, Boyce, Schwartz, Backer*) 123
Ribolzi, S. Real-Time Fault Detection on Textiles Using Opto-electronic Processing (*Mercklé, Gresser, Exbrayat*) 61
Rich, Wendelin Marie Influence of Shade Depth on the Effectiveness of Selected Ultraviolet Absorbers in Reducing Fading (*Crews*) 231
Rivett, Donald E. A Model for the Surface of Keratin Fibers (*Negri, Cornell*) 109
Rousselle, Marie-Alice Endotoxin Reduction in Cotton Fibers: Effect of Flash Heating on Endotoxin Content, Fiber Physical Properties, and Processability (*Domelsmith*) 595
Rubin, B. Using Optical Ray Tracing to Explain the Reduced Dye Yield of Microdenier Yarns (*Kobsa, Shearer, Schulz*) ... 475
Ruetsch, S. B. Microfluorometric Studies of the Distribution of Finishes on Fibers and Yarns (*Kamath, Weigmann*) 19
Ruppenicker, G. F. A Unique Polyester Staple-Core/Cotton-Wrap Yarn Made on a Tandem Spinning System (*Sawhney, Kimmel, Thibodeaux*) 764
Rust, J. P. Reply to "Comments on 'Yarn Hairiness and the Process of Winding' " (*Peykamian*) 431
Ryu, Hyo-Seon An Alternative Approach to the Objective Measurement of Fabrics (*Pan, Zeronian*) 33

Saha, M. Thermal Properties of Jute Constituents and Flame Retardant Jute Fabrics (*Basak, Saha, Sarkar, Das, Mukherjee*) 658
Saha, S. G. Thermal Properties of Jute Constituents and Flame Retardant Jute Fabrics (*Basak, Sarkar, Saha, Das, Mukherjee*) 658
Sarkar, A. K. Thermal Properties of Jute Constituents and Flame Retardant Jute Fabrics (*Basak, Saha, Saha, Das, Mukherjee*) 658
Sarmadi, A. Majid Surface Modification of Polypropylene Fabrics by Acrylonitrile Cold Plasma (*Ying, Denes*) 697
Sasaki, Hiroaki Correcting Fabric Dyeing Rates by Evaluating Contact Points of Yarns (*Yanai, Araki*) 614
Effect of Yarn Density on Diffusion of *p*-Aminoazobenzene in Multiple Layers of Nylon Fabric (*Araki*) 296
Sasser, P. E. Cotton Fiber Fineness Distributions and Their Effects on the Tenacities of Randomly Sampled HVI Tapered Beards: Linear Density Effects (*Duckett, Zhou, Krowicki*) 737
Sato, Yukihiro Surface Characteristics of Wool and Poly(ethylene Terephthalate) Fabric and Film Treated with Low-Temperature Plasma Under Atmospheric Pressure (*Wakida, Tokino, Niu, Kawamura, Lee, Uchiyama, Inagaki*) 433
Saus, Wolfgang Dyeing of Textiles in Supercritical Carbon Dioxide (*Knittel, Schollmeyer*) 135
Sawhney, A. P. S. A Unique Polyester Staple-Core/Cotton-Wrap Yarn Made on a Tandem Spinning System (*Kimmel, Ruppenicker, Thibodeaux*) 764
Handle and Comfort Properties of Woven Fabrics Made from Random Blend and Cotton-Covered Cotton/Polyester Yarns (*Radhakrishnaiah, Tejatanalert*) 573
Schollmeyer, Eckhard Dyeing of Textiles in Supercritical Carbon Dioxide (*Saus, Knittel*) 135
Schulz, E. M. Using Optical Ray Tracing to Explain the Reduced Dye Yield of Microdenier Yarns (*Kobsa, Rubin, Shearer*) 475
Schumacher-Hamedat, U. Reaction of Cystine Residues in Wool with Peroxy Compounds (*Douthwaite, Lewis*) 177
Schwartz, Peter Mechanical Properties of Fabric Woven from Yarns Produced by Different Spinning Technologies: Yarn Failure in Woven Fabric (*Seo, Realff, Pan, Boyce, Backer*) 123
Schweinsberg, P. A Morphological Study of Cotton Fabric Damage by Electro-Generated Oxygen (*Kokot, Marahusin*) 313
Seleš, Gizela Influence of a Chlorination Treatment on Wool Dyeing (*Jocić, Jovančić, Trajković*) 619
Sengupta, A. K. Neps in Air-Jet Textured Yarns (*Kothari, Sensarma*) 637
Sensarma, J. K. Neps in Air-Jet Textured Yarns (*Sengupta, Kothari*) 637
Seo, Moon H. Mechanical Properties of Fabric Woven from Yarns Produced by Different Spinning Technologies: Yarn Failure in Woven Fabric (*Realff, Pan, Boyce, Schwartz, Backer*) 123

Sette, S. Assessment of Set Marks by Means of Neural Nets (*Vangheluwe, Pynckels*) ... 244
Seyam, A. Mechanics of Woven Fabrics Part III: Critical Review of Weavability Limit Studies (*El-Shiekh*) ... 371
Shaw, Anugrah Pesticide Distribution Patterns in Two-Layer Microporous Fabrics Revealed by Scanning Electron Microscopy ... 712
Shearer, S. M. Using Optical Ray Tracing to Explain the Reduced Dye Yield of Microdenier Yarns (*Kobsa, Rubin, Schulz*) 475
Sheen, Tzong-Haw Crosslinking of Cotton Fabrics Premercerized with Different Alkalis Part I: Kinetics of the Crosslinking Reaction (*Li, Wu, Chen*) ... 357
Sheu, Jer-Jia Crosslinking of Cotton Fabrics Premercerized with Different Alkalis Part III: Crosslinking and Physical Properties of DMDHEU-Treated Fabrics (*Jang, Sheu, Chen*) 679
Sheu, Tzyh-Chyang Crosslinking of Cotton Fabrics Premercerized with Different Alkalis Part III: Crosslinking and Physical Properties of DMDHEU-Treated Fabrics (*Jang, Sheu, Chen*) 679
Shiffler, Donald A. Roll Wraps in Ring Spinning Part I: Kinetics and Incremental Cost ... 479
Part II: Effect of Fiber and Spinning Frame Variables ... 515
Shofner, Frederick M. A Rapid, Direct Measurement of Short Fiber Content (*Bragg*) ... 171
Short, R. D. Surface Analysis of Wool by X-Ray Photoelectron Spectroscopy and Static Secondary Ion Mass Spectrometry (*Ward. Willis, George, Guise, Denning, Evans*) ... 362
Slaven, P. A. Effect of Preswelling Treatments on the Properties of Cotton Fibers Crosslinked with 1,2,3,4 Butanetetracarboxylic Acid (*Zeronian, Buschle-Diller, Fisher, Alger, Holmes, Bertoniere*) ... 488
Slota, I. J. Hysteresis Effects Associated with the Adsorption and Desorption of Water by Woven Wool Fabrics (*Cookson*) 495
Sobus, J. Evaluating Carpet Appearance Loss: Surface Intensity and Roughness (*Pourdeyhimi, Xu*) ... 523
Fiber Cross-Sectional Shape Analysis Using Image Processing Techniques (*Xu, Pourdeyhimi*) ... 717
Somashekar, R. Crystal Size and Minimum Enthalpy of Various Races of Silk Fibers (*Urs, Subramanya*) ... 610
Soriano, C. Role of Treatment Medium in Degradative Wool Shrinkproofing Processes (*Coderch*) ... 369
Subramanya, G. Crystal Size and Minimum Enthalpy of Various Races of Silk Fibers (*Urs, Somashekar*) ... 610

Takahata, Tomoko Formation of Hydroxyl Radicals from Reaction of Cu(II)/Wool Keratin Complex with Hydrogen Peroxide (*Fukatsu*) ... 289
Tao, W. Y. Fumaric Acid as an Adhesion Promoter in Rayon/Nylon Composite Fibers (*Collier, Collier, Negulescu*) ... 162
Tejatanalert, Sukasem Handle and Comfort Properties of Woven Fabrics Made from Random Blend and Cotton-Covered Cotton/Polyester Yarns (*Radhakrishnaiah, Sawhney*) ... 573
Thérien, Normand Numerical Control of a Continuous Infrared Dryer (*Forget, Broadbent*) ... 404
Thibodeaux, Devron P. Applying Microscopy to the Development of a Reference Method for Cotton Fiber Maturity (*Boylston, Evans*) ... 80
A Unique Polyester Staple-Core/Cotton-Wrap Yarn Made on a Tandem Spinning System (*Sawhney, Kimmel, Ruppenicker*) ... 764
Seed Coat Fragments in Cotton Yarns (*Hebert*) ... 626
Tokino, Seiji Dyeing Properties of Wool Treated with Low-Temperature Plasma Under Atmospheric Pressure (*Wakida, Niu, Lee, Uchiyama, Kaneko*) ... 438
Surface Characteristics of Wool and Poly(ethylene Terephthalate) Fabrics and Film Treated with Low-Temperature Plasma Under Atmospheric Pressure (*Wakida, Niu, Kawamura, Sato, Lee, Uchiyama, Inagaki*) ... 433
Trajković, Rista Influence of a Chlorination Treatment on Wool Dyeing (*Jocić, Jovančić, Seleš*) ... 619
Tsunoda, S. Influence of Surface Roughness of Woven Geotextiles on Interfacial Frictional Behavior—Evaluation Through Model Experiments (*Kabeya, Karmokar, Kamata*) ... 604
Tucker, P. A. Solvent Texturing of Polyester Yarn Part I: Sequential Texturing (*Hashemi-Pour, Lee, Cates*) ... 103
Part II: Continuous Texturing (*Hashemi-Pour*) ... 770
Twilley, I. C. Dynamic Mechanical Properties of Carpet Yarns and Carpet Performance (*Grover, Zhu*) ... 257

Uchiyama, Hiroshi Dyeing Properties of Wool Treated with Low-Temperature Plasma Under Atmospheric Pressure (*Wakida, Tokino, Niu, Lee, Kaneko*) ... 438
Surface Characteristics of Wool and Poly(ethylene Terephthalate) Fabrics and Film Treated with Low-Temperature Plasma Under Atmospheric Pressure (*Wakida, Tokino, Niu, Kawamura, Sato, Lee, Inagaki*) ... 433
Ülkü, S. Fiber Alignment and Straightening in Opening for Open-End Spinning (*Acar, King, Özipek*) ... 309
Urs, R. Gopal Krishne Crystal Size and Minimum Enthalpy of Various Races of Silk Fibers (*Subramanya, Somashekar*) 610

Vangheluwe, Lieven Assessment of Set Marks by Means of Neural Nets (*Sette, Pynckels*) ... 244
Relaxation and Inverse Relaxation of Yarns After Dynamic Loading ... 552
Vinyard, Bryan T. A Critical Evaluation of the Relationships Between Arealometer Instrument Values and Cotton Fiber Perimeter Part I: Fundamentals and Computer Simulation (*Montalvo*) ... 267

Wakida, Tomiji Dyeing Properties of Wool Treated with Low-Temperature Plasma Under Atmospheric Pressure (*Tokino, Niu, Lee, Uchiyama, Kaneko*) ... 438
Effect of Heat-Setting Temperature on Alkali Hydrolysis of Poly(ethylene Terephthalate) Fibers (*Niu*) ... 346
Surface Characteristics of Wool and Poly(ethylene Terephthalate) Fabrics and Film Treated with Low-Temperature Plasma Under Atmospheric Pressure (*Tokino, Niu, Kawamura, Sato, Lee, Uchiyama, Inagaki*) ... 433
Ward, R. J. Surface Analysis of Wool by X-Ray Photoelectron Spectroscopy and Static Secondary Ion Mass Spectrometry (*Willis, George, Guise, Denning, Evans, Short*) ... 362
Weigmann, H.-D. Microfluorometric Studies of the Distribution of Finishes on Fibers and Yarns (*Kamath, Ruetsch*) ... 19
Welch, Clark M. Nonphosphorus Catalysts for Formaldehyde-Free DP Finishing of Cotton with 1,2,3,4-Butanetetracarboxylic Acid Part I: Aromatic N-Heterocyclic Compounds (*Choi, Morris*) ... 650
Weltrowski, Marek Mechanical Characterization and Behavior in Spinning Processing of Milkweed Fibers (*Dréan, Patry, Lombard*) ... 443
Wepfer, William J. Experimental and Numerical Analysis of the Drying Characteristics of Modular Carpet Tiles (*Francis*) 1
Werny, Frank A Statistical Model for Bulk and Texture Retention in Residential Saxony Carpets ... 194
Wightman, J. P. Surface and Adhesion Properties of Polypyrrole-Coated Textiles (*Heisey, Pittman, Kuhn*) ... 247
Willis, H. A. Surface Analysis of Wool by X-Ray Photoelectron Spectroscopy and Static Secondary Ion Mass Spectrometry (*Ward, George, Guise, Denning, Evans, Short*) ... 362
Wood, Errol J. Description and Measurement of Carpet Appearance ... 580
Wu, Jiunn-Hann Crosslinking of Cotton Fabrics Premercerized with Different Alkalis Part I: Kinetics of the Crosslinking Reaction (*Sheen, Li, Chen*) ... 357

Xu, B. Evaluating Carpet Appearance Loss: Surface Intensity and Roughness (*Pourdeyhimi, Sobus*) 523
Fiber Cross-Sectional Shape Analysis Using Image Processing Techniques (*Pourdeyhimi, Sobus*) 717

Yang, Charles Q. Effect of pH on Nonformaldehyde Durable Press Finishing of Cotton Fabric: FT-IR Spectroscopy Study Part I: Ester Crosslinking 420
Part II: Formation of the Anhydride Intermediate 706
Yang, Yiqi Hydrophobic Interaction and Its Effect on Cationic Dyeing of Acrylic Fabric (*Ladisch*) 283
Yanai, E. Correcting Fabric Dyeing Rates by Evaluating Contact Points of Yarns (*Sasaki, Araki*) 614
Yeh, K. Effects of Silicone Softeners and Silane Coupling Agents on the Performance Properties of Cotton Fabrics (*Jang*) 557
In-situ Copolymerization and Crosslinking of Cotton Fibers for Improved Performance (*Choi*) 302
Ying, T. H. Surface Modification of Polypropylene Fabrics by Acrylonitrile Cold Plasma (*Sarmadi, Denes*) 697

Yoon, Mee-Young Behavior of Yarn Pullout from Woven Fabrics: Theoretical and Experimental (*Pan*) 629

Zeronian, S. Haig An Alternative Approach to the Objective Measurement of Fabrics (*Pan, Ryu*) 33
Effect of Preswelling Treatments on the Properties of Cotton Fibers Crosslinked with 1,2,3,4 Butanetetracarboxylic Acid (*Buschle-Diller, Fisher, Alger, Holmes, Slaven, Bertoniere*) 488
Zhang, Yichen Influence of Machine Variables on Two-Strand Yarn Spinning Geometry (*Miao, Cai*) 116
Zhou, Z. Cotton Fiber Fineness Distributions and Their Effects on the Tenacities of Randomly Sampled HVI Tapered Beards: Linear Density Effects (*Duckett, Krowicki, Sasser*) 737
Zhu, S. Dynamic Mechanical Properties of Carpet Yarns and Carpet Performance (*Grover, Twilley*) 257
Żurek, W. Comparative Analysis of Frictional Resistance of Wool Yarns (*Frydrych*) 322

SUBJECT INDEX

Absorbancy
- **spectra of multiple-dye mixtures:** using neural networks to predict dye concentrations in *Jasper, Kovacs, Berkstresser* 545

Acrylamides
- **graft polymerization onto polyamide:** photo-induced: improved fiber hydrophilicity *Bogoeva-Gaceva, Pimonenko, Petrov* 51

Acrylics
- **cationic dyeing of:** hydrophobic interaction and effect on *Yang, Ladisch* 283
- **friction in:** experimental study of effects of structural and morphological factors on friction in fibrous materials *El Mogahzy, Gupta* 219
- **in electrically conductive textiles:** surface and adhesion properties of polypyrrole-coated nylon fiber, polyester yarn, and glass fabric: adhesion to epoxy *Heisey, Wightman, Pittman, Kuhn* 247
- **pesticide distribution in:** patterns in two-layer microporous fabrics: SEM, backscattered electron imaging, and x-ray microanalysis *Shaw* 712

Adhesion
- **in rayon/nylon composite fibers:** fumaric acid as an adhesion promoter in a wire coating process *Tao, Collier, Collier, Negulescu* 162

Adhesives
- **on carpet backing:** radio frequency drying of latex adhesive on carpets *Carr* 686

Adsorption
- **of Kevlar fibers:** examination of structural parameters using adsorption isotherm equations *Le, Ly* 57

Ageing
- **antique textile identification:** x-ray diffractometric meaurement of microcrystallite size, unit cell dimensions, and crystallinity *Foreman, Jakes* 455
- **of wool fibers:** effect of mechanical de-ageing on cohesive setting of wool in air *Huson* 204

Aramids
- **dyeing in supercritical carbon dioxide:** new process for synthetics avoids water pollution: energy savings in drying and easily recyclable *Saus, Knittel, Schollmeyer* 135
- **polyamide fibers:** moisture sorption mechanism: diffusion of moisture in poly(*p*-phenylene terephthalamide) fibers: three kinds of Kevlar *Fukuda, Kawai* 185
- **sorption of Kevlar fibers:** examination of structural parameters using adsorption isotherm equations *Le, Ly* 57

Aromatics
- **for DP finishing of cotton:** nonphosphorus catalysts for formaldehyde finishing with BTCA: aromatic N-heterocyclic compounds *Choi, Welch, Morris* 650
- **polyamides and polyimides:** structure and properties of fibers commercially available in the former USSR *Duobinis* 99
- **stain resist compound:** separating and identifying the active ingredient in *Bauers, Keown, Malone* 540

Bending
- **of short fiber yarns:** developing a constitutive theory: effects of fiber orientation and bending deformation *Pan* 565

Bleaching
- **of Cu(II)-wool complex fibers:** dyeing rate and equilibrium dye uptake *Fukatsu* 744
- **of enzyme-treated jute:** enhanced bleaching and softening of jute pretreated with polysaccharide degrading enzymes *Kundu, Ghosh, Chakrabarti* 451

Byssinosis
- **endotoxin reduction:** effect of flash heating on endotoxin content, fiber physical properties, and processability *Rousselle, Domelsmith* 595

Carpets
- **appearance loss in:** evaluating by surface intensity and roughness with gray scale image analysis *Pourdeyhimi, Sobus, Xu* 523
- **appearance of:** WRONZ digital image analysis: description and measurement *Wood* 580
- **bulk and texture retention:** statistical model for residential Saxony carpets *Werny* 194
- **dynamic mechanical properties:** nylon, polyester, and polypropylene carpet yarns: analysis of appearance retention *Grover, Zhu, Twilley* 257
- **evaluating carpet wear:** photometric method to measure matting *Lamb, Amundson, Miller* 731
- **latex backing on:** radio frequency drying of latex adhesive on nylon carpets *Carr* 686
- **modular carpet tiles:** experimental and numerical analysis of drying characteristics *Francis, Wepfer* 1

Catalysis
- **"catalytic damage" phenomenon:** morphological study of cotton fabric damage by electro-generated oxygen *Kokot, Marahusin, Schweinsberg* 313
- **in Cu(II)-wool complex:** catalytic activity of complex on oxidation of ascorbic acid *Fukatsu, Adachi, Kimura* 239
- **in DP finishing of cotton:** nonphosphorus catalysts for formaldehyde-free DP finishing: aromatic N-heterocyclic compounds *Choi, Welch, Morris* 650

Cellulose
- **esterification of:** effect of pH on nonformaldehyde DP finishing of cotton fabrics: FT-IR spectrocsopy study: formation of anhydride intermediate *Yang* 706

Cellulosics
- **jute contituents:** thermal properties of: flame retardant jute fabrics *Basak, Saha, Sarkar, Saha, Das, Mukherjee* 658

Chlorination
- **of wool fabric:** influence of chlorination treatment on acid dyeing *Jocić, Jovančić, Trajković, Seleš* 619
- **of wool fibers by liposomes:** unilamellar lipid bilayers including cholesterol: stability of chlorine liposomes and application on wool *de la Maza, Parra* 44
- **of wool keratin fibers:** updated model for epicuticle including new information on bound fatty acids *Negri, Cornell, Rivett* 109

Chromatography
- **high pressure liquid chromatography:** to analyze stain resist compound: separating and identifying the active ingredient *Bauers, Keown, Malone* 540

Clothing
- **heat and water vapor transfer in:** factors influencing steady-state transfer measurements: comparison of methods *Gibson* 749

Comfort
- **of specially engineered yarns:** handle and comfort properties of fabrics from random blend and cotton-covered cotton/poly yarns *Radhakrishnaiah, Tejatanalert, Sawhney* 573

Composites
- **cotton/poly yarns:** handle and comfort properties of fabrics from random blend and cotton-covered cotton/poly yarns *Radhakrishnaiah, Tejatanalert, Sawhney* 573
- **rayon/nylon composite fibers:** fumaric acid as an adhesion promoter in a wire coating process *Tao, Collier, Collier, Negulescu* 162
- **unique poly/cotton yarn:** polyester staple-core/cotton-wrap yarn made on a tandem spinning system *Sawhney, Kimmel, Ruppenicker, Thibodeaux* 764

Computer Techniques
- **for continuous infrared dryer:** numerical control by microcomputer control algorithms for drying a textile sheet *Forget, Broadbent, Thérien* 404
- **to measure cotton fiber maturity:** relationships between Arealometer instrument values and fiber perimeter: fundamentals and computer simulation *Montalvo, Vinyard* 267
- **to study microdenier yarns:** optical ray tracing to explain reduced dye yield *Kobsa, Rubin, Shearer, Schulz* 475

Computers
- **to analyze fiber cross sections:** shape analysis using image processing techniques *Xu, Pourdeyhimi, Sobus* 717
- **to measure carpet appearance:** WRONZ digital image analysis: description and measurement *Wood* 580

Cotton Fabrics
- **catalytic damage of:** morphological study of damage by electro-generated oxygen *Kokot, Marahusin, Schweinsberg* 313

cotton-covered cotton/poly: handle and comfort properties of woven fabrics made from random blend and specially engineered cotton/poly yarns *Radhakrishnaiah, Tejatanalert, Sawhney* ... 573
crosslinked: premercerized with different alkalis: dyeing kinetics of direct dye on treated fabric from a finite bath *Chen, Liaw, Lan, Chen* ... 535
crosslinking of: kinetics of crosslinking fabrics premercerized with different alkalis *Sheen, Li, Wu, Chen* ... 357
DP finishing of: effect of pH on nonformaldehyde DP finishing: FT-IR spectroscopy study of ester crosslinking *Yang* ... 420
DP finishing of: effect of pH on nonformaldehyde finishing: FT-IR spectroscopy study: formation of anhydride intermediate *Yang* ... 706
for oil spill cleanup: cotton and polypropylene needlepunched nonwovens as sorbents *Choi, Kwon, Moreau* ... 211
formaldehyde-free DP finishing: nonphosphorus catalysts for finishing with BTCA: aromatic N-heterocyclic compounds *Choi, Welch, Morris* ... 650
premercerized with different alkalis: crosslinking and physical properties of DMDHEU-treated fabrics *Jang, Sheu, Sheu, Chen* ... 679
treated with silicone softeners: effects of softeners and silane coupling agents on performance properties *Jang, Yeh* ... 557

Cotton Fibers
blended with milkweed: mechanical characterization and behavior in spinning processing *Dréan, Patry, Lombard, Weltrowski* ... 443
fineness distributions: effects on tenacities of randomly sampled HVI tapered beards: linear density effects *Duckett, Zhou, Krowicki, Sasser* ... 737
frictional behavior of: new approach for evaluating: fundamental aspects and measuring techniques *El Mogahzy, Broughton* 465
in open-end spinning: fiber alignment and straightening in opening *Ülkü, Acar, King, Özipek* ... 309
in situ polymerization of: improved crosslinking and performance: increased resilience and strength retention *Choi, Yeh* ... 302
maturity of: critical evaluation of Arealometer instrument values and fiber perimeter: fundamentals and computer simulation *Montalvo, Vinyard* ... 267
maturity of: using microscopy to develop a reference method for: image analysis by cross-sectional and longitudinal scans *Boylston, Thibodeaux, Evans* ... 80
measuring short fiber content: rapid, direct method using single fiber measurements with AFIS instruments *Bragg, Shofner* 171
preswelled: effect of preswelling treatments on properties of fibers crosslinked with BTCA *Zeronian, Buschle-Diller, Fisher, Alger, Holmes, Slaven, Bertoniere* ... 488
primary wall of: strength as a function of fiber development *Hebert* ... 695
water transport along: measured by electrical capacitance technique: also rayon, polyester, nylon *Ito, Muraoka* ... 414

Cotton Yarns
air-jet spun: effect of jet design on yarn properties *Oxenham, Basu* ... 674
composite yarns: unique polyester staple-core/cotton-wrap yarn made on a tandem spinning system *Sawhney, Kimmel, Ruppenicker, Thibodeaux* ... 764
dynamic loading during weaving: relaxation and inverse relaxation *Vangheluwe* ... 552
roll wraps in: effect of fiber and spinning frame variables in ring spinning *Shiffler* ... 515
seed coat fragments in: plausible causes for some cultivars to have a high percentage of fragments *Hebert, Thibodeaux* 626
tensile fatigue of: behavior of cotton/polyester staple yarns *Anandjiwala, Goswami* ... 392

Cotton, Raw
endotoxin reduction in: effect of flash heating on endotoxin content, fiber physical properties, and processability *Rousselle, Domelsmith* ... 595
seed-coat fragments in: lint cleaning effect on size distribution: comments on *Barella* ... 120
seed-coat fragments in: lint cleaning effect on size distribution: reply to comments *Mangialardi* ... 121

Crosslinking
ester crosslinking of cotton: effect of pH on nonformaldehyde DP finishing: FT-IR spectroscopy study *Yang* ... 420
in situ compolymerization: improved crosslinking and performance: increased resilience and strength retention *Choi, Yeh* ... 302
in wool keratin: updated model for epicuticle including new information on bound fatty acids *Negri, Cornell, Rivett* 109
kinetics of: cotton fabrics premercerized with different alkalis *Sheen, Li, Wu, Chen* ... 357
of premercerized cottons: crosslinking and physical properties of DMDHEU-treated fabrics premercerized with different alkalis *Jang, Sheu, Sheu, Chen* ... 679
with BTCA: effect of preswelling treatment on properties of cotton fibers *Zeronian, Buschle-Diller, Fisher, Alger, Holmes, Slaven, Bertoniere* ... 488
with different alkalis: dyeing kinetics of direct dye on treated cotton from a finite bath *Chen, Liaw, Lan, Chen* ... 535

Crystallinity
of antique textiles: x-ray diffractometric measurement of microcrystallite size, unit cell dimensions, and crystallinity: application to marine textiles *Foreman, Jakes* ... 455
of silk fibers: crystal size and minimum enthalpy of various races of silk fibers *Urs, Subramanya, Somashekar* ... 610

Decatizing
pressure decatizing of wool fabric: influence of wrapper moisture content on mechanical properties *Das* ... 59

Degradation
of marine textiles: x-ray diffractometric measurement of microcrystallite size, unit cell dimensions, and crystallinity: application to antique cellulosic textiles *Foreman, Jakes* 455

Diffusion
in dyeing of nylon: correcting fabric dyeing rates by evaluating contact points of yarns *Sasaki, Yanai, Araki* ... 614

Drying
continuous infrared dryer: numerical control of: microcomputer control algorithms for drying a textile sheet *Forget, Broadbent, Thérien* ... 404
of carpet adhesive: radio frequency drying of latex adhesive *Carr* ... 686
of modular carpet tiles: experimental and numerical analysis of drying characteristics *Francis, Wepfer* ... 1

Durable Press
formaldehyde-free DP finishing: nonphosphorus catalysts for finishing cotton with BTCA: aromatic N-heterocyclic compounds *Choi, Welch, Morris* ... 650
FR-IR spectroscopy study: effect of pH on nonformaldehyde DP finishing of cotton: ester crosslinking *Yang* ... 420
nonformaldehyde finishing: effect of pH on: FT-IR spectroscopy study: formation of anhydride intermediate *Yang* ... 706
preswelled cotton fibers: effect of treatment on properties of fibers treated with BTCA *Zeronian, Buschle-Diller, Fisher, Alger, Holmes, Slaven, Bertoniere* ... 488

Dyeing
acid dyeing of polyester fibers: effect of ethyl xanthogenate on dye sorption: electrokinetic properties *Espinosa-Jiménez, Cano-Suárez* ... 379
cationic dyeable polyester: draw texturing of: compared with normal polyester *Pal, Gandhi, Kothari* ... 71
copper treated wool keratin: evidence for possible copper/nitrogen donor site interaction *Kokot* ... 159
dyeing rates of nylon: correcting fabric dyeing rates by evaluating contact points of yarns *Sasaki, Yanai, Araki* ... 614
in supercritical carbon dioxide: new process for synthetic fibers and fabrics avoids water pollution: energy savings in drying and easy recycling *Saus, Knittel, Schollmeyer* ... 135
liposomes as vehicles for: lipid bilayers including cholesterol for acid dyeing of wool fabrics *de la Maza, Parra, Manich* 643
multiple-dye mixtures: using neural networks to predict dye concentrations in *Jasper, Kovacs, Berkstresser* ... 545
of acrylics: hydrophobic interaction and effect of cationic dyeing on acrylic fabric *Yang, Ladisch* ... 283
of Cu(II)-wool complex fibers: pretreated with hydrogen peroxide *Fukatsu* ... 744
of microdenier yarns: optical ray tracing to explain reduced dye yield of *Kobsa, Rubin, Shearer, Schulz* ... 475
of nylon fabric: effect of yarn density on diffusion of *p*-aminoazobenzene in multiple fabric layers *Sasaki, Araki* ... 296

of nylon with acid dyes: influence of shade depth on effectiveness of selected UV absorbers in reducing fading *Rich, Crews* 231
of polyester fibers: effect of ethyl xanthogenate on acid dye sorption: kinetics and thermodynamics *Espinosa-Jiménez, Cano-Suárez* 667
of premercerized cotton: treated with different alkalis: dyeing kinetics of direct dye on treated fabrics from a finite bath *Chen, Liaw, Lan, Chen* 535
of shrinkproofed wool: influence of chlorination treatment on acid dyeing *Jocić, Jovančić, Trajković, Seleš* 619
of wool fibers: treated with low-temperature plasma under atmospheric pressure *Wakida, Tokino, Niu, Lee, Uchiyama, Kaneko* 438

Electrical Properties
electrically conductive textiles: surface and adhesion properties of polypyrrole-coated nylon fiber, polyester yarn, and glass fabric *Heisey, Wightman, Pittman, Kuhn* 247
Electrochemistry
"catalytic damage" phenomenon: morphological study of cotton fabric damage by electro-generated oxygen *Kokot, Marahusin, Schweinsberg* 313
acid dyeing of polyester: effect of ethyl xanthogenate on dye sorption: electrokinetic properties *Espinosa-Jiménez, Cano-Suárez* 379
Environmental Impacts
of dyeing in supercritical carbon dioxide: new process for synthetics avoids water pollution and promotes energy savings in drying: easily recyclable *Saus, Knittel, Schollmeyer* 135
of formaldehyde-free DP finishes: nonphosphorus catalysts for finishing of cotton with BTCA: aromatic N-heterocyclic compounds *Choi, Welch, Morris* 650
of pesticides on fabrics: pesticide distribution patterns in two-layer microporous fabrics: SEM, backscattered electron imaging, and x-ray microanalysis *Shaw* 712
oil spill cleanup sorbents: cotton and polypropylene nonwovens as sorbents for light crude oil *Choi, Kwon, Moreau* 211
Enzymes
to treat jute: enhanced bleaching and softening of jute pretreated with polyssacharide degrading enzymes *Kundu, Ghosh, Chakrabarti* 451
Esterification
of cotton cellulose: effect of pH on nonformaldehyde DP finishing: FT-IR spectroscopy study: formation of anhydride intermediate *Yang* 706

Fabric Esthetics
fault detection in fabrics: real-time detection using opto-electronic processing *Ribolzi, Mercklé, Gresser, Exbrayat* 61
set marks in fabrics: assessment by means of neural nets: image analysis *Vangheluwe, Sette, Pynckels* 244
Fabric Properties
objective measurement of: alternative approach to overall performance: data on different fibers, weaves, and thicknesses *Pan, Zeronian, Ryu* 33
yarn pullout from woven fabrics: theoretical and experimental study of pullout behavior *Pan, Yoon* 629
Fading
of nylon dyed with acid dyes: influence of shade depth on effectiveness of selected UV absorbers in reducing fading *Rich, Crew* 231
Fatigue
of staple yarns: tensile fatigue behavior of cotton/polyester yarns *Anandjiwala, Goswami* 392
Fiber Fineness
of cotton fibers: fineness distributions and effects on tenacities of randomly sampled HVI fiber beards: linear density effects *Duckett, Zhou, Krowicki, Sasser* 737
Fiber Geometry
cross-sectional shape: analysis by image processing techniques *Xu, Pourdeyhimi, Sobus* 717
Fiber Orientation
in short fiber yarns: developing a constitutive theory: effects of bending deformation *Pan* 565

Fiber Properties
constitutive theory for: author's corrections *Pan* 370
friction in fibrous materials: experimental study of effects of structural and morphological factors *El Mogahzy, Gupta* 219
of cotton fibers: strength of the primary wall as a function of fiber development *Hebert* 695
of new Japanese polyester: innovation from silk-like to new polyester: history and new technologies *Fukuhara* 387
of polyamides and polyimides: structure and properties of aromatic fibers commercially available in the former USSR *Duobinis* 99
Fiber Structure
of general fiber assemblies: modified analysis of microstructural characteristics *Pan* 336
Fiber Testing
cotton short fiber content: rapid, direct method using single fiber measurements with AFIS instruments *Bragg, Shofner* 171
Finishing Agents
finish distribution: microfluorometric studies of distribution on fibers and yarns *Kamath, Ruetsch, Weigmann* 19
spin finishes: yarn-to-yarn friction in relation to some properties of fiber materials *de Jong* 14
Flame Proofing
borax treated jute: DSC and TGA analysis of *Pandey, Day, Mathew* 143
of jute fabrics: thermal properties of jute constituents and flame retardant jute fabrics *Basak, Saha, Sarkar, Saha, Das, Mukherjee* 658
Fluoroescence
in finish distribution: microfluorometric method using fluoroscence tracer on fibers and yarns *Kamath, Ruetsch, Weigmann* 19
Friction
frictional behavior of cotton fibers: new approach for evaluating: fundamental aspects and measuring techniques *El Mogahzy, Broughton* 465
in fibrous materials: effects of structural and morphological factors: cross-sectional shape, molecular orientation, annealing, and fiber type *El Mogahzy, Gupta* 219
in woven geotextiles: influence of surface roughness on interfacial frictional behavior: evaluation through model experiments *Kabeya, Karmokar, Kamata, Tsunoda* 604
yarn-on-yarn friction: comparative analysis of frictional resistance of wool yarns *Żurek, Frydrych* 322
yarn-to-yarn: in relation to some properties of fiber materials: stick-time and static friction force *de Jong* 14

Geometry
of a general fiber assembly: modified analysis of microstructural characteristics *Pan* 336
of an air-jet spinner: effect of jet design on cotton yarn properties *Oxenham, Basu* 674
of fiber cross sections: shape anlaysis using image processing techniques *Xu, Pourdeyhimi, Sobus* 717
of two-strand yarn spinning: influence of machine variables: strand convergence angle and strand twist above convergence point *Miao, Cai, Zhang* 116
of woven fabrics: mechanics of: critical review of weavability limit studies *Seyam, El-Shiekh* 371
Geotextiles
surface roughness of: influence on interfacial frictional behavior: evaluation through model experiments *Kabeya, Karmokar, Kamata, Tsunoda* 604
Glass Fabrics
electrically conductive textiles: surface and adhesion properties of polypyrrole-coated textiles *Heisey, Wightman, Pittman, Kuhn* 247
Grafting
of plasma onto polypropylene: surface modification of fabrics by acrylonitrile cold plasma *Sarmadi, Ying, Denes* 697

Hairiness
of milkweed/cotton yarns: mechanical characteristics and behavior in spinning processing *Dréan, Patry, Lombard, Weltrowski* 443

of yarns: process of winding: comments on *Barella* 431
of yarns: process of winding: reply to comments *Rust, Peykamian* 431

Handle
objective measurement of: alternative approach to overall fabric performance: data on different fibers, weaves, and thicknesses *Pan, Zeronian, Ryu* 33
of blend and specially engineered yarns: handle and comfort properties of woven fabrics made from random blend and cotton-covered cotton/polyester yarns *Radhakrishnaiah, Tejatanalert, Sawhney* 573
of new Japanese polyester: innovation from silk-like to new polyester: history and new technologies *Fukuhara* 387
of silicone-treated cotton: effects of silicone softeners and silane coupling agents on performance properties *Jang, Yeh* .. 557

Heat Phenomena
to reduce endotoxins in cotton: effect of flash heating on endotoxin content, fiber physical properties, and processability *Rousselle, Domelsmith* 595

Heat Setting
of PET fibers: effect of setting temperature on alkali hydrolysis *Niu, Wakida* 346

Heat Transfer
in clothing materials: factors influencing steady-state heat and water vapor transfer measurements: comparison of methods *Gibson* 749
in wool fabrics: heat and mass transfer during steam pressing of wool: moisture absorption model and experimental data *Le, Ly, Postle* 88

High Volume Instruments
fiber fineness distributions: effects on tenacities of randomly sampled HVI tapered beards: linear density effects *Duckett, Zhou, Krowicki, Sasser* 737

Hydrolysis
of PET fibers: effect of heat-setting temperature on PET fibers *Niu, Wakida* 346

Hysteresis
in wool fabrics: effects associated with adsorption and desorption of water in woven wools *Cookson, Slota* 495

Image Analysis
of carpet appearance loss: evaluating surface intensity and roughness using gray scale image analysis *Pourdeyhimi, Sobus, Xu* 523
of carpet appearance: WRONZ digital image anallysis: description and measurement *Wood* 580
of cotton fiber maturity: applying microscopy to a reference method: cross-sectional and longitudinal scans *Boylston, Thibodeaux, Evans* 80
of fiber cross-sectional shape: image processing techniques using geometric and Fourier descriptors *Xu, Pourdeyhimi, Sobus* 717
of set marks in fabrics: assessment by means of neural nets *Vangheluwe, Sette, Pynckels* 244

Infrared
continuous infrared dryer: numerical control with microcomputer control algorithms for drying a textile sheet *Forget, Broadbent, Thérien* 404
to determine nonylphenols: determining and characterizing ethylene oxide nonylphenol condensates by IR spectrometry *Raurich, Call* 319

Jute
enzyme treated: enhanced bleaching and softening of jute pretreated with polysaccharide degrading enzymes *Kundu, Ghosh, Chakrabarti* 451
flame retardant fabrics: thermal properties of jute constituents and FR fabrics *Basak, Saha, Sarkar, Saha, Das, Mukherjee* 658
flame retardant treated: DSC and TGA analysis of: borax formaldehyde treatments *Pandey, Day, Mathew* 143
splicing of yarn: wrapping method on flyer and wrap spinning systems *Neogi, Bhattacharyya* 351

Keratin
copper-treated wool keratin: sites for Cu(II) stabilization: evidence for possible copper/nitrogen donor site interaction *Kokot* 159
Cu(II)-wool keratin complex: formation of hydroxyl radicals from reaction of complex with hydrogen peroxide *Fukatsu, Takahata* 289
surface of fibers: updated model of epicuticle membrane including information on bound fatty acids *Negri, Cornell, Rivett* 109

Kinetics
of crosslinking reaction: cotton fabrics premercerized with different alkalis *Sheen, Li, Wu, Chen* 357
of dyeing crosslinked cotton: premercerized with different alkalis: direct dye on treated fabric from finite bath *Chen, Liaw, Lan, Chen* 535
of dyeing polyester fibers: effect of ethyl xanthogenate on acid dye sorption: electrokinetic properties *Espinosa-Jiménez, Cano-Suárez* 379
of dyeing with liposomes: lipid bilayers including cholesterol as vehicles for acid dyes in wool dyeing *de la Maza, Parra, Manich* 643
of polyester dyeing: effect of ethyl xanthogenate on acid dye sorption: kinetics and thermodynamics *Espinosa-Jiménez, Cano-Suárez* 667
of ring spinning: roll wraps in: kinetics and incremental cost *Shiffler* 479
of yarn twisting dynamics: kinetic and kinematic analysis of twist distribution throughout the twisting zone *Miao, Chen* 150

Lightfastness
of nylon dyed with acid dyes: influence of shade depth on effectiveness of selected UV absorbers in reducing fading *Rich, Crews* 231

Linear Density
of cotton fibers: fiber fineness distributions and effects on tenacities of randomly sampled HVI fiber beards: linear density effects *Duckett, Zhou, Krowicki, Sasser* 737

Lint
lint cleaning of cotton: effect of seed-coat fragment size distribution: comments on *Barella* 120
lint cleaning of cotton: effect on seed-coat fragment size distribution: reply to comments *Mangialardi* 121

Lipids
on the surface of wool: surface analysis by x-ray photoelectron spectroscopy and static secondary ion mass spectrometry *Ward, Willis, George, Guise, Denning, Evans, Short* 362

Liposomes
for acid dyeing of wool: lipid bilayers including cholesterol as vehicles for acid dyes *de la Maza, Parra, Manich* 643
for wool chlorination: unilamellar lipid bilayers including cholesterol: stability of chlorine liposomes and application on wool *de la Maza, Parra* 44

Luster
of microdenier yarns: optical ray tracing to explain reduced dye yield *Kobsa, Rubin, Shearer, Schulz* 475

Mathematical Analysis
of a continuous infrared dryer: numerical control by microcomputer control algorithms for drying a textile sheet *Forget, Broadbent, Thérien* 404
of carpet tile drying: experimental and numerical analysis of drying characteristics of modular carpet tiles *Francis, Wepfer* 1
of cotton fiber friction: new approach for evaluating: fundamental aspects and measuring techniques *El Mogahzy, Broughton* 465
of cotton fiber maturity: relationships between Arealometer instrument values and cotton fiber perimeter: fundamentals and computer simulation *Montalvo, Vinyard* 267
of fabric mechanical properties: alternative approach to overall performance: data on different fibers, weaves, and thicknesses *Pan, Zeronian, Ryu* 33
of general fiber assemblies: modified analysis of microstructural characteristics *Pan* 336

of neural nets: to predict dye concentrations in multiple-dye mixtures *Jasper, Kovacs, Berkstresser* ... 545
of nylon dyeing: effect of yarn density on diffusion of *p*-aminoazobenzene in multiple fabric layers *Sasaki, Araki* ... 296
of roll wraps in spinning: kinetics and incremental cost in ring spinning *Shiffler* ... 479
of short fiber yarns: author's corrections *Pan* ... 370
of short fiber yarns: developing a constitutive theory: effects of fiber orientation and bending deformation *Pan* ... 565
of short fiber yarns: developing a constitutive theory: mechanics of staple yarn with slippage effect *Pan* ... 504
of woven fabric mechanics: critical review of weavability limit studies *Seyam, El-Shiekh* ... 371
of yarn pullout: behavior of pullout from woven fabrics: theoretical and experimental *Pan, Yoon* ... 629
of yarn twisting dynamics: kinetic and kinematic analysis of twist distribution throughout the twisting zone *Miao, Chen* 150

Mechanical Properties
of carpet yarns: dynamic mechanical properties of carpet yarns and carpet performance *Grover, Zhu, Twilley* ... 257
of decatized wool fabric: influence of wrapper moisture content on mechanical properties after pressure decatizing *Das* 59
of fabrics: objective measurement of overall fabric performance: data on different fibers, weaves, and thicknesses *Pan, Zeronian, Ryu* ... 33
of uniaxially tensioned fabrics: yarn failure in and out of fabrics woven from yarns produced by different spinning technologies *Seo, Realff, Pan, Boyce, Schwartz, Backer* ... 123
yarn pullout behavior: theoretical and experimental study *Pan, Yoon* ... 629

Mechanics
of short fiber yarns: developing a constitutive theory for: mechanics of staple yarn with slippage effect *Pan* ... 504

Mercerization
with different alkalis: crosslinking of cotton and physical properties of DMDHEU-treated fabrics *Jang, Sheu, Sheu, Chen* 679
with different alkalis: kinetics of crosslinking cotton fabrics premercerized with *Sheen, Li, Wu, Chen* ... 357

Microfluorometry
finish distribution studies: microfluorometric method using a fluoroescence tracer on fibers and yarns *Kamath, Ruetsch, Weigmann* ... 19

Microscopy
to determine fiber maturity: reference method for cotton fiber maturity: cross-sectional and longitudinal scans through image anaylsis *Boylston, Thibodeaux, Evans* ... 80

Milkweed
spinning processing of: mechanical characterization and behavior of fibers *Dréan, Patry, Lombard, Weltrowski* ... 443

Moisture Regain
of woven wool fabrics: hysteresis effect associated with adsorption and desorption of water *Cookson, Slota* ... 495

Moisture Transfer
along textile fibers: water transport along rayon, nylon, cotton, and PET as measured by electrical capacitance technique *Ito, Muraoka* ... 414
in aromatic polyamides: moisture diffusion in poly(*p*-phenylene terephthalamide): three kinds of Kevlar fibers *Fukuda, Kawai* ... 185
in clothing materials: factors influencing steady-state heat and water vapor transfer measurements: comparison of methods *Gibson* ... 749
in drying carpet adhesives: radio frequency drying of carpet adhesive *Carr* ... 686
in modular carpet tiles: experimental and numerical analysis of drying characteristics *Francis, Wepfer* ... 1
in steam pressing of wool: heat and mass transfer during fabric pressing: moisture absorption model and experimental data *Le, Ly, Postle* ... 88
sorption of Kevlar fibers: examination of structural parameters using adsorption isotherm equations *Le, Ly* ... 57

Morphology
effects of in fibrous materials: experimental study of effects of structural and morphological factors on friction *El Mogahzy, Gupta* ... 219
of cotton fabric damage: electro-generated oxygen: "catalytic damage" phenomenon *Kokot, Marahusin, Schweinsberg* 313

Neps
as a function of cultivar type: seed coat fragments in cotton yarns: plausible causes for high percentage of fragments in certain cultivars *Hebert, Thibodeaux* ... 626
in air-jet textured yarns: two kinds of neps from wet and dry textured yarns: structural configurations and opening forces *Sengupta, Kothari, Sensarma* ... 637
size distribution in cotton: lint cleaning effect on seed-coat fragments: comments on *Barella* ... 120
size distribution in cotton: lint cleaning effect on seed-coat fragments: reply to comments *Mangialardi* ... 121

Nonwovens
for oil spill cleanup: cotton and polypropylene needlepunched nonwovens as sorbents *Choi, Kwon, Moreau* ... 211

Nylon
carpet yarns: dynamic mechanical properties of carpet yarns and carpet performance: also polyester and polypropylene *Grover, Zhu, Twilley* ... 257
cross-sectional shape analysis: image processing techniques: also aramid, polyester, novoloid, and vinyon *Xu, Pourdeyhimi, Sobus* ... 717
dye diffusion in: effect of yarn density on diffusion of *p*-aminoazobenzene in multiple fabric layers *Sasaki, Araki* ... 296
dyeing rates of: correcting fabric dyeing rates by evaluating contact points of yarns *Sasaki, Yanai, Araki* ... 614
electrically conductive textiles: surface and adhesion properties of polypyrrole-coated textiles *Heibey, Wightman, Pittman, Kuhn* ... 247
fading of: influence of shade depth on effectiveness of selected UV absorbers in reducing fading *Rich, Crews* ... 231
pesticide distribution in: patterns in two-layer microporous fabrics: SEM, backscattered electron imaging, and x-ray microanalysis *Shaw* ... 712
rayon/nylon composite fibers: fumaric acid as an adhesion promoter in a wire coating process *Tao, Collier, Collier, Negulescu* ... 162
residential Saxony carpets: statistical model for bulk and texture retention *Werny* ... 194
water and heat transfer in: factors influencing steady-state transfer measurements for clothing materials: also cotton, Kevlar, polyurethane, and others *Gibson* ... 749
water transport along: measured by electrical capacitance technique: also rayon, PET, cotton *Ito, Muraoka* ... 414

Optics
to detect fabric faults: real-time fault detection using opto-electronic processing *Ribolzi, Mercklé, Gresser, Exbrayat* ... 61
to measure carpet appearance: WRONZ digital image analysis: description and measurement *Wood* ... 580
to measure carpet wear: photometric method for evaluating matting *Lamb, Amundson, Miller* ... 731
to measure cotton short fiber content: rapid, direct method using single fiber measurements with AFIS instruments *Bragg, Shofner* ... 171
to study carpet appearance: evaluating appearance loss using gray scale image anlaysis to study surface intensity and roughness *Pourdeyhimi, Sobus, Xu* ... 523
to study dye yield: optical ray tracing techniques to explain reduced dye yield of microdenier yarns *Kobsa, Rubin, Shearer, Schulz* ... 475

Oxidation
of ascorbic acid in wool fibers: catalytic activity of Cu(II)-wool complex on *Fukatsu, Adachi, Kimura* ... 239
of wool fibers: reaction of cystine residues with peroxy compounds: FTIR, ATR, HPLC analyses *Douthwaite, Lewis, Schumacher-Hamedat* ... 177

Permeability
of clothing materials: factors influencing steady-state heat and water vapor transfer measurements: comparison of methods *Gibson* ... 749

Photometric Methods
to measure carpet wear: evaluation of matting *Lamb, Amundson, Miller* ... 731

Plasma
low-temperature: dyeing properties of wool treated under atmospheric pressure *Wakida, Tokino, Niu, Lee, Uchiyama, Kaneko* ... 438
low-temperature: surface characteristics of wool and PET fibers and film treated under atmospheric pressure *Wakida, Tokino, Niu, Kawamura, Sato, Lee, Uchiyama, Inagaki* ... 433
on polypropylene fabrics: surface modification by acrylonitrile cold plasma grafted on fabrics *Sarmadi, Ying, Denes* ... 697
Polyamides
acrylamide graft polymerization: photo-induced: improved fiber hydrophilicity *Bogoeva-Gaceva, Pimonenko, Petrov* 51
aromatic fibers: structure and properties of polyamide and polyimide fibers commercially available in the former USSR *Duobinis* ... 99
dyeing in supercritical carbon dioxide: new approach avoids water pollution: energy savings in drying and easily recyclable: also PET, aramids, and others *Saus, Knittel, Schollmeyer* 135
moisture sorption in: diffusion of moisture in poly(*p*-phenylene terephthalate): three kinds of Kevlar fibers *Fukuda, Kawai* 185
Polyester
acid dyeing of: effect of ethyl xanthogenate on dye sorption of fibers: electrokinetic properties *Espinosa-Jiménez, Cano-Suárez* ... 379
acid dyeing of: effect of ethyl xanthogenate on dye sorption: kinetics and thermodynamics *Espinosa-Jiménez, Cano-Suárez* ... 667
alkali hydrolysis of: effect of heat-setting temperature on hydrolysis of PET fibers *Niu, Wakida* ... 346
carpet yarns: dynamic mechanical properties of carpet yarns and carpet performance: also nylon and polypropylene *Grover, Zhu, Twilley* ... 257
cationic dyeable yarn: draw texturing of: compared with normal polyester *Pal, Gandhi, Kothari* ... 71
composite yarn: unique poly staple-core/cotton wrap yarn made on a tandem spinning system *Sawhney, Kimmel, Ruppenicker, Thibodeaux* ... 764
cross-sectional shape analysis: image processing techniques: also nylon, novoloid, aramid, and vinyon *Xu, Pourdeyhimi, Sobus* ... 717
dyeing synthetics in supercritical carbon dioxide: new procedure avoids water pollution: energy savings in drying and easy recycling: also PET, Kevlar, Nomex, Dorlastan, polyamide and others *Saus, Knittel, Schollmeyer* ... 135
electrically conductive textiles: surface and adhesion properties of polypyrrole-coated textiles *Heisey, Wightman, Pittman, Kuhn* ... 247
handle of yarns: comfort properties of woven fabrics made from random blend and cotton-covered cotton/poly yarns *Radhakrishnaiah, Tejatanalert, Sawhney* ... 573
in open-end spinning: fiber alignment and straightening in opening *Ülkü, Acar, King, Özipek* ... 309
microdenier yarns: optical ray tracing to explain reduced dye yield of *Kobsa, Rubin, Shearer, Schulz* ... 475
new Japanese fibers: innovation from silk-like to new polyester: history and key technologies *Fukuhara* ... 387
pesticide distribution on: patterns in two-layer microporous fabrics: SEM, backscattered electron imaging, and x-ray microanalysis *Shaw* ... 712
roll wraps in: effect of fiber and spinning frame variables in ring spinning *Shiffler* ... 515
sovent textured: sequential texturing of partially oriented yarn: potential energy savings *Hashemi-Pour, Lee, Tucker, Cates* 103
surface characteristics of: fabrics and film treated with low-temperature plasma under atmospheric pressure *Wakida, Tokino, Niu, Kawamura, Sato, Lee, Uchiyama, Inagaki* 433
tensile fatigue of: behavior of cotton/polyester staple yarns *Anandjiwala, Goswami* ... 392
textured yarn: continuous false twist solvent texturing process *Hashemi-Pour, Tucker* ... 770
water transport along: measured by electrical capacitance technique: also rayon, cotton, nylon *Ito, Muraoka* ... 414
Polyimides
aromatic fibers: structure and properties of polyamide and polyimide fibers commercially available in the former USSR *Duobinis* ... 99
Polymerization
acrylamide graft polymerization: photo-induced onto polyamide 6: improved fiber hydrophilicity *Bogoeva-Gaceva, Pimonenko, Petrov* ... 51
in situ copolymerization: improved crosslinking of cotton fibers: increased resilience and strength retention *Choi, Yeh* .. 302
Polypropylene
carpet yarns: dynamic mechanical properties of carpet yarns and carpet performance: also nylon and polyester *Grover, Zhu, Twilley* ... 257
friction in: experimental study of effects of structural and morphological factors on friction in fibrous materials *El Mogahzy, Gupta* ... 219
surface modification of: acrylonitrile cold plasma grafted on fabrics *Sarmadi, Ying, Denes* ... 697
Porosity
two-layer microporous fabrics: pesticide distribution patterns revealed by SEM, backscattered electron imaging, and x-ray microanalysis *Shaw* ... 712
Proteins
Cu(II)-wool keratin complex: formation of hydroxyl radicals from reaction of complex with hydrogen peroxide *Fukatsu, Takahata* ... 289
cystine residues in wool: reaction with peroxy compounds: FTIR, ATR, and HPLC analyses *Douthwaite, Lewis, Schumacher-Hamedat* ... 177
Rayon
rayon/nylon composite fibers: fumaric acid as an adhesion promoter using a wire coating process *Tao, Collier, Collier, Negulescu* ... 162
water transport along: measured by electrical capacitance technique: also cotton, polyester, nylon *Ito, Muraoka* ... 414
Relaxation
of yarns after loading: relaxation and inverse relaxation after dynamic loading *Vangheluwe* ... 552
Resins
as stain resist compounds: separating and identifying the active ingredient *Bauers, Keown, Malone* ... 540
on cotton fibers: in situ copolymerization and crosslinking with DMA: improved performance *Choi, Yeh* ... 302
Setting
decatizing of wool fabric: influence of wrapper moisture content on mechanical properties after pressure decatizing *Das* 59
Shrinkage
in new Japanese polyester: resulting in better hand: innovation from silk-like to new polyester *Fukuhara* ... 387
Shrinkproofing
as it effects wool dyeing: influence of chlorination treatment *Jocić, Jovančić, Trajković, Seleš* ... 619
degradative processes: role of treatment medium in *Coderch, Soriano* ... 369
Silk
crystallinity of: crystal size and minimum enthalpy of various races of silk fibers *Urs, Subramanya, Somashekar* ... 610
Sliver
in open-end spinning: fiber alignment and straightening in opening *Ülkü, Acar, King, Özipek* ... 309
Softeners
silicone: effect of softeners and silane coupling agents on performance properties of cotton fabrics *Jang, Yeh* ... 557
Solvents
for texturing polyester: continuous false twist solvent texturing process *Hashemi-Pour, Tucker* ... 770
solvent texturing of polyester: sequential texturing of partially oriented yarn: potential energy savings *Hashemi-Pour, Lee, Tucker, Cates* ... 103
Sorption
in aromatic polyamides: moisture sorption mechanism of poly(*p*-phenylene terephthalamide): three kinds of Kevlar *Fukuda, Kawai* ... 185

in oil spill cleanups: cotton and polypropylene nonwovens as sorbents *Choi, Kwon, Moreau* 211
Spectrometry
to determine nonylphenols: determining and characterizing ethylene oxide nonylphenol condensates by IR spectrometry *Raurich, Call* 319
Spectrophotometry
to study dye concentrations: using neural networks to predict dye concentration in multiple-dye mixtures *Jasper, Kovacs, Berkstresser* 545
Spectroscopy
FT-IR study of crosslinking: effect of pH on nonformaldehyde DP finishing: ester crosslinking *Yang* 420
of wool surface: analysis by x-ray photoelectron spectroscopy and static secondary ion mass spectrometry *Ward, Willis, George, Guise, Denning, Evans, Short* 362
Spinning
air-jet spun yarns: effect of jet design on properties of cotton yarns *Oxenham, Basu* 674
finish distribution: microfluorometric method using fluoroscence tracer on fibers and yarns *Kamath, Ruetsch, Weigmann* 19
of a composite yarn: unique polyester staple-core/cotton-wrap yarn made on a tandem spinning system *Sawhney, Kimmel, Ruppenicker, Thibodeaux* 764
of milkweed fibers: mechanical characterization and behavior *Dréan, Patry, Lombard, Weltrowski* 443
of yarns using different technologies: fabric mechanical properties: yarn failure in and out of uniaxially tensioned woven fabrics *Seo, Realff, Pan, Boyce, Schwartz, Backer* 123
open-end spinning: fiber alignment and straightening in opening *Ülkü, Acar, King, Özipek* 309
ring spinning: roll wraps in: kinetics and incremental cost *Shiffler* 479
roll wraps in: effect of fiber and spinning frame variables in ring spinning *Shiffler* 515
splicing of jute yarn: wrapping method on flyer and wrap spinning systems *Neogi, Bhattacharyya* 351
two-strand spinning geometry: influence of machine variables: strand convergence angle and strand twist above convergence point *Miao, Cai, Zhang* 116
yarn twisting dynamics: kinetic and kinematic analysis of twist distribution throughout the twisting zone *Miao, Chen* .. 150
yarn-to-yarn friction: relation between stick-time and static friction force *de Jong* 14
Splicing
of jute yarns: wrapping method on flyer and wrap spinning systems *Neogi, Bhattacharyya* 351
Staining
stain resist compound: separating and identifying active ingredient *Bauers, Keown, Malone* 540
Statistical Methods
analysis of general fiber assemblies: modified analysis of microstructural characteristics *Pan* 336
for analyzing carpets: statistical model for bulk and texture retention in residential Saxony nylon carpets *Werny* 194
to analyze endotoxins in cotton: effect of flash heating on endotoxin content, fiber physical properties, and processability *Rousselle, Domelsmith* 595
to study carpet appearance: evaluating appearance loss using gray scale image analysis to study surface intensity and roughness *Pourdeyhimi, Sobus, Xu* 523
Strain
in de-ageing of wool fibers: effect of mechanical de-ageing on cohesive setting of wool in air *Huson* 204
of yarns in and out of woven fabrics: mechanical properties of fabrics from yarns spun by different technologies: yarn failure in woven fabric *Seo, Realff, Pan, Boyce, Schwartz, Backer* 123
Surface Properties
of polypropylene fabrics: surface modification caused by grafting with acrylonitrile cold plasmas *Sarmadi, Ying, Denes* .. 697
of woven geotextiles: influence of surface roughness on interfacial behavior: evaluation through model experiments *Kabeya, Karmokar, Kamata, Tsunoda* 604
Surfactants
nonlyphenol condensates: determining and characterizing by IR spectrometry *Raurich, Call* 319
Swelling Agents
to treat cotton fibers: effect of preswelling on properties of fibers crosslinked with BTCA *Zeronian, Buschle-Diller, Fisher, Alger, Holmes, Slaven, Bertoniere* 488

Tensile Properties
of short fiber yarns: developing a constitutive theory for: mechanics of staple yarn with slippage effect *Pan* 504
of staple yarns: tensile fatigue behavior of cotton/poyester yarns *Anandjiwala, Goswami* 392
of woven geotextiles: influence of surface roughness on interfacial frictional behavior: evaluation through model experiments *Kabeya, Karmokar, Kamata, Tsunoda* 604
Texture
of carpets: description and measurement of carpet appearance: WRONZ digital image analysis *Wood* 580
Texturing
air-jet textured yarns: two kinds of neps in wet and dry textured yarns: structural configurations and opening forces *Sengupta, Kothari, Sensarma* 637
in nylon carpets: statistical model for bulk and texture retention in residential Saxony carpets *Werny* 194
of dyeable polyester: draw texturing of cationic dyeable polyester yarn compared with normal polyester *Pal, Gandhi, Kothari* 71
of polyester: continuous false twist solvent texturing process *Hashemi-Pour, Tucker* 770
solvent texturing of polyester: sequential texturing of partially oriented yarn: potential energy savings *Hashemi-Pour, Lee, Tucker, Cates* 103
Thermal Analysis
of flame retardant jute: DSC and TGA analysis of borax treated fibers *Pandey, Day, Mathew* 143
Thermal Properties
of jute constituents: and flame retardant jute fabrics *Basak, Saha, Sarkar, Saha, Das, Mukherjee* 658
Thermodynamics
of cationic dyeing of acrylics: hydrophobic interaction and effect on *Yang, Ladisch* 283
of polyester dyeing: effect of ethyl xanthogenate on acid dye sorption: kinetics *Espinosa-Jiménez, Cano-Suárez* 667
Twist
in short fiber yarns: developing a constitutive theory for: mechanics of staple yarn with slippage effect *Pan* 504
in two-strand spinning geometry: influence of machine variables: strand convergence angle and strand twist above convergence point *Miao, Cai, Zhang* 116
texturing of polyester: solvent texturing in sequential steps: potential energy savings *Hashemi-Pour, Lee, Tucker, Cates* 103
Twisting
texturing of polyester: continuous false twist solvent texturing process *Hashemi-Pour, Tucker* 770

Weaving
dynamic loading of yarns: relaxation and inverse relaxation *Vangheluwe* 552
faults in fabrics: real-time fault detection on textiles using optoelectronic processing *Ribolzi, Mercklé, Gresser, Exbrayat* 61
of spliced jute yarns: wrapping method on flyer and wrap spinning systems *Neogi, Bhattacharyya* 351
set marks in fabrics: assessment by means of neural nets: image analysis *Vangheluwe, Sette, Pynckels* 244
weavability limit studies: mechanics of woven fabrics: critical review *Seyam, El-Shiekh* 371
Wettability
of wool and PET: surface characteristics of fibers and film treated with low-temperature plasma under atmospheric pressure *Wakida, Tokino, Niu, Kawamura, Sato, Lee, Uchiyama, Inagaki* 433
Wool Fabrics
acid dyeing with liposomes: lipid bilayers including cholesterol as vehicles for acid dyes *de la Maza, Parra, Manich* ... 643
dyeing of shrinkproofed wool: influence of chlorination treatment on acid dyeing *Jocić, Jovančić, Trajković, Seleš* 619

hysteresis effects in: associated with adsorption and desorption of water in woven wools *Cookson, Slota* 495
pressure decatizing of: influence of wrapper moisture content on mechanical properties *Das* 59
shrinkproofing of: role of treatment medium in degradative processes *Coderch, Soriano* 369
steam pressing of: heat and mass transfer during: moisture absorption model and experimental data *Le, Ly, Postle* 88
surface characteristics of: fabrics and film treated with low-temperature plasma under atmospheric pressure: also polyester *Wakida, Tokino, Niu, Kawamura, Sato, Lee, Uchiyama, Inagaki* 433

Wool Fibers
chlorination of: unilamellar lipid bilayers including cholesterol: stability of chlorine liposomes and application on wool *de la Maza, Parra* 44
cohesive setting of: effect of mechanical de-ageing by imparting linear strain *Huson* 204
Cu(II)-wool complex fibers: dyeing behavior of fibers pretreated with hydrogen peroxide *Fukatsu* 744
Cu(II)-wool complex: catalytic activity of complex on oxidation of ascorbic acid *Fukatsu, Adachi, Kimura* 239
Cu(II)-wool keratin complex: formation of hydroxyl radicals from reaction of complex with hydrogen peroxide *Fukatsu, Takahata* 289
cystine residues in: reaction with peroxy compounds: oxidation products measured with FTIR, ATR, and HPLC *Douthwaite, Lewis, Schumacher-Hamedat* 177
dyeing properties of: treated with low-temperature plasma under atmospheric pressure *Wakida, Tokino, Niu, Lee, Uchiyama, Kaneko* 438
yarn-on-yarn friction: comparative analysis of frictional resistance of wool yarns *Żurek, Frydrych* 322

Wool, Raw
Cu(II) treated wool keratin: sites for copper stabilization: evidence for possible copper/nitrogen donor site interaction *Kokot* 159
surface analysis of: x-ray photoelectron spectroscopy and static secondary ion mass spectrometry *Ward, Willis, George, Guise, Denning, Evans, Short* 362
surface of keratin fibers: updated model of epicuticle including information on bound fatty acids *Negri, Cornell, Rivett* 109

Wrinkle Recovery
of silicone-treated cotton fabric: effect of silicone softeners and silane coupling agents on performance properties *Jang, Yeh* 557

X-Ray Diffraction
to study fiber crystallography: x-ray diffractometric measurement of microcrystallite size, unit cell dimensions, and crystallinity: cellulosic marine textiles *Foreman, Jakes* 455
of silk fibers: crystal size and minimum enthalpy of various races of silk fibers *Urs, Subramanya, Somashekar* 610

X-Ray Techniques
for surface analysis of wool: x-ray photoelectron spectroscopy and static secondary ion mass spectrometry *Ward, Willis, George, Guise, Denning, Evans, Short* 362

Yarns
cotton air-jet spun: effect of jet design on properties *Oxenham, Basu* 674
dynamic loading of: relaxation and inverse relaxation of yarns after dynamic loading *Vangheluwe* 552
hairiness of: process of winding: comments on *Barella* 431
hairiness of: process of winding: reply to comments *Rust, Peykamian* 431
short fiber yarns: developing a constitutive theory: mechanics of staple yarn with slippage effect *Pan* 504
short fiber yarns: developing a constitutive theory: effects of fiber orientation and bending deformation *Pan* 565
yarn failure in and out of woven fabrics: mechanical properties of fabrics from yarns produced by different spinning technologies *Seo, Realff, Pan, Boyce, Schwartz, Backer* 123
yarn pullout behavior: pullout from woven fabrics: theoretical and experimental *Pan, Yoon* 629
yarn twisting dynamics: kinetic and kinematic analysis of twist distribution throughout the twisting zone *Miao, Chen* .. 150
yarn-on-yarn friction: comparative analysis of frictional resistance of wool yarns *Żurek, Frydrych* 322
yarn-to-yarn friction: relation to some properties of fiber materials: stick-time and static friction force *de Jong* 14